Bal

2 4 JUN 1988

MEMORANDUM FOR: Director, Security Evaluation Office

VIA:

Acting Deputy Director for Administration

FROM:

John M. Ray

Director of Logistics

SUBJECT:

Temporary Space for SEO/DCI

REFERENCE:

Memo for D/L frm D/SEO, dtd 16 June 88

Same Subject

- 1. Since this project was approved in mid-April, the Office of Logistics (OL) has been working with appropriate support personnel to define SEO facility requirements. As of this date, we are anxiously waiting for SEO's final requirements. We are, nevertheless, proceeding with space layouts and related A&E design efforts, recognizing your desire to initiate operations in the near future. We hope that SEO changes to our designs will be minimal.
- 2. Given the fact the Key Building is a GSA-leased facility, we must carry out building renovations through GSA and the building owner. Consequently, it is not possible to make space available on the 11th floor by 1 August 1988.
- 3. Recognizing your desire to be operational in the August time frame, there are two options available:

Option A - Sufficient space is available on the 3rd floor of Key Building to house people. This space has sufficient black and secure telephones for your office to commence operations. Your staff could occupy this space as is on a temporary basis until your permanent space on the 11th floor is ready.

Option B - This option also utilizes the 3rd floor of the Key Building for initial operations until your office could be housed in its permanent location at the Building. Beginning in January/February 1989, several components will be vacating for relocation onto the Headquarters Compound. Your office would therefore relocate to in early 1989, depending on the extent of modifications required.

All Portions CONFIDENTIAL

25X1

25X1

25X1

25X1

25X1

SUBJECT: Temporary Space for SEO/DCI

25X1

- 4. Our preference is Option B, i.e., to permanently locate your activity in Building since OL has recently begun to look at the feasibility of vacating the Key Building when the current lease expires at the end of 1989. If such occurs, we would have to relocate your activity twice within one year if we continue on our present path.
- 5. Please advise whether we should continue on our current plan (Option A) or whether Option B would be a better solution to your operational and space needs.

25X1

John M. Ray

cc: DDCI

DCI/Admin

25X1

OL/RECD/HCS lr (23 Jun 88)

Distribution:

Orig - Addee

- 1 ER (DDCI)
- 1 DCI/Admin
- 1 DCI/LOGS
- 2 DDA
- 1 OL/Files
- 1 FMD/Chrono
- 1 FMD/HCS Official
- 1 FMD/HCS Chrono
- 1 C/RECD
- 1 RECD/EBOB

3 CONFIDENTIAL Declassified in Part - Sanitized Copy Approved for Release 2013/04/18 : CIA-RDP91-00981R000100050034-3

Washington, D.C. 20505

Security Evaluation Office

1 6 JUN 1988

|               | MEMORANDUM FOR:   | John Ray   |                |               |               |        |
|---------------|---|--|----------------|---------------|---------------|--------|
|               |   | Director of Logistics                              |                |               |               |        |
| 25X1          | FROM:   |  |                |               |               |        |
|               |   | Director, Security Ev                              | aluation Offic | ce            |               |        |
| 25 <b>X</b> 1 | SUBJECT:  | Temporary Space for S                              | SEO/DCI        |               |               |        |
|               |   |  |                |               |               |        |
|               | 1 1- 1  | bha Casusibe                                       | . Tunlunkian O | eeiss sl      | 224 to 04412  |        |
| •             | <del>-</del>  | are aware, the Security<br>ey Building pending com |                |               |               |        |
|               | told that the e   | stimated completion dat                            | e for renovat: | ions is       | now mid-Octob | er     |
| 0EV1          |   | o have a portion of my                             |                |               |               |        |
| 25 <b>X</b> 1 | however<br>able to use any  | Chief, EBOB/RECT                                   |                |               |               | pe     |
|               |   | equest that the Office                             |                |               |               | orary  |
| 25 <b>X</b> 1 |   | ople from l August unti                            | .1 we can move | into th       | e llth floor  | of     |
| 25 <b>X</b> 1 | Key.  |  |                |               |               |        |
|               | 2. The occ  | upancy date of mid-Octo                            | ber is not at  | all acc       | eptable. I    |        |
|               | originally planned to occupy the space early-August and my personnel and  |  |                |               |               |        |
|               | operational requirements are geared to that date. I am not convinced that all avenues to expedite the renovation have been explored. I request your |  |                |               |               |        |
|               |   | dite the renovation hav<br>his matter since my ope | _              |               | _             | nte    |
| 25X1          |   | hampered under such mak                            |                |               |               |        |
|               | 2 If they   | o are any questions or                             | if any further | ∟<br>r inform | ation is rosu | irod   |
| 25 <b>X</b> 1 | please contact  | e are any questions or                             | II any lurche  | L INTOLIN     | Thank you.    | illeu. |
| 0EV4          | _   |  |                |               |               |        |
| 25X1          | ,   |  |                |               |               |        |
|               |   |  |                |               |               |        |
|               |   |  |                |               |               |        |
|               | age DDCI  |  |                |               |               |        |
|               | cc: DDCI<br>DDA   |  |                |               |               |        |
|               | DCI/Logs  |  |                |               |               |        |
|               | •   |  |                |               |               |        |
|               |   |  |                |               | •             |        |
| 25X1          |   |  |                |               | •             |        |
| _0/(1         |   |  |                |               |               |        |
|               |   |  |                |               |               |        |
|               |   |  |                |               |               |        |